


STRUMENTI DI CONFIGURAZIONE DEI REPORTING SERVICES

Requisiti almeno *sql 2008 R2*, in caso mancanza i RS non vengono rilevati dal setup di arca.



Reporting Services Configuration Manager: C-FIETTA\SQLEXPRESS

Microsoft
SQL Server[®] 2012
Reporting Services Configuration Manager

Connect

- C-FIETTA\SQLEXPRESS
- Service Account**
- Web Service URL
- Database
- Report Manager URL
- E-mail Settings
- Execution Account
- Encryption Keys
- Scale-out Deployment

Service Account

Specify a built-in account or Windows domain user account to run the report server service.

Report Server Service Account
Choose an option to set the service account and then click Apply.

☒ Use built-in account: Network Service

☐ Use another account:

Account (Domain\user):

Password:

Results

Copy

Apply Exit

SEZIONE WEB SERVICE URL → si deve riuscire ad accedere al link dei report server.

Reporting Services Configuration Manager: C-FIETTA\SQLEXPRESS

Microsoft SQL Server 2012
Reporting Services Configuration Manager

Connect

- C-FIETTA\SQLEXPRESS
- Service Account
- Web Service URL**
- Database
- Report Manager URL
- E-mail Settings
- Execution Account
- Encryption Keys
- Scale-out Deployment

Web Service URL

Configure a URL used to access the Report Server. Click Advanced to define multiple URLs for a single Report Server instance, or to specify additional parameters on the URL.

Report Server Web Service Virtual Directory

Virtual Directory:

Report Server Web Service Site identification

IP Address:

TCP Port:

SSL Certificate:


SSL Port:

Report Server Web Service URLs

URLs: http://C-FIETTA:80/ReportServer_SQLEXPRESS

Results

SEZIONE DATABASE → Fino alla build 2/2015 sp1 l'istanza inserita in sql server name deve essere in maiuscolo, ALTRIMENTI NON VENGONO RILEVATI I RS NEL SETUP.



Reporting Services Configuration Manager: C-FIETTA\SQLEXPRESS

Microsoft
SQL Server 2012
Reporting Services Configuration Manager

Connect

- C-FIETTA\SQLEXPRESS
- Service Account
- Web Service URL
- Database
- Report Manager URL**
- E-mail Settings
- Execution Account
- Encryption Keys
- Scale-out Deployment

Report Manager URL

Configure a URL to access Report Manager. Click Advanced to define multiple URLs, or to specify additional parameters on the URL.

Report Manager Site Identification

Virtual Directory:

URLs: http://C-FIETTA:80/Reports_SQLEXPRESS

Results

Reporting Services Configuration Manager: C-FIETTA\SQLEXPRESS

Microsoft
SQL Server 2012
Reporting Services Configuration Manager

Connect

C-FIETTA\SQLEXPRESS

Service Account

Web Service URL

Database

Report Manager URL


E-mail Settings

Execution Account

Encryption Keys

Scale-out Deployment

E-mail Settings

 To use report server e-mail, specify an existing SMTP server and an e-mail account that can send e-mail from that server.

SMTP Settings

To edit, change the fields and click the Apply button.

Sender Address:

Current SMTP Delivery Method:

Use SMTP server

SMTP Server:

Results

Copy

Apply

Exit

Reporting Services Configuration Manager: C-FIETTA\SQLEXPRESS

Microsoft
SQL Server 2012
Reporting Services Configuration Manager

Connect

C-FIETTA\SQLEXPRESS

Service Account

Web Service URL

Database

Report Manager URL


E-mail Settings

Execution Account

Encryption Keys

Scale-out Deployment

Execution Account

 Specify this account to enable the use of report data sources that do not require credentials or to connect to remote servers that store external images used in reports. Be sure to specify a domain user account with minimal permissions for performing read-only operations. Avoid using an account that has more permissions than you actually need. The account you specify should be different from the service account to ensure you do not compromise security on your report server instance.

Execution Account

Use the following options to set the account, then click Apply.

☐ Specify an execution account

Account:

Password:

Confirm Password:

Results

Copy

Apply

Exit